



LINKSWELL
TECHNOLOGY TOGETHER

Chevrolet/GMC (*105/106*)
8" MyLink Multi Camera Interface
S1C016A-Y14E / S1C016A-Y16P

Installation and User Manual

Disclaimer

Please read this manual thoroughly prior to installation.

This manual shows a typical installation of a *S1C016A-Y14E* or *S1C0116A-Y16P*.
Your vehicle may vary.

Be sure ACC power is off before removing head unit.
Use caution and if unsure seek professional assistance.

*****Professional installation is strongly recommended*****

Cover all surfaces with tape or plastic film to protect against scratching and damage to interior dash panels. Linkswell Automotive is in no way responsible for any damage incurred during the installation.

Notice:

*This product has been verified in vehicles listed on the application guide only.
GM offers different software for Chevrolet, GMC, and Cadillac GUI Themes. Please
confirm your vehicles model before your purchase.*

Tech support available Mon - Fri, 9am-5pm (PST)

linkswelltech@linkswellinc.com

909-375-0633




Table Of Contents

| | |
|----------------------------|----|
| Installation | 1 |
| Switching to the Interface | 3 |
| Interface Homepage | 4 |
| Interface Settings | 5 |
| Camera Control | 9 |
| HDMI Input | 11 |
| USB Input | 12 |



Installation Diagram





Installation Parts

1 Power T-Harnesses

4 Front and Right Camera Input


2 LVDS Cable

5 USB and Left Camera Input

3 HDMI Cable

6 Rear Camera Input

7 Interface Module





Switching to the Interface

Switching between the OEM system and your newly installed interface is done easily by using the factory touch screen.

***The icons on your screen may vary depending on the year and model of your vehicle.**
This will not effect the control of your new system.*

Pressing the next icon on the screen will scroll through the different menu options. This will bring you into the interface options.






Interface Homepage

Your interface menu homepage will look similar to this, having icons matching the style of your factory system.

Your interface now adds three new icons. HDMI, Camera, and Settings.

To access the interfaces features,
simply press the onscreen icons.






Interface Settings



The interface's "System Settings" page is to make changes to the interfaces settings only. To make changes in the entertainment system or to change vehicle settings, use the settings menu in the factory radio menu. Instructions for those can be found in your factory vehicle owners manual.

You can change the system and camera settings by pressing the buttons now on your touch screen.





Interface System Settings




The interfaces system settings allows you to do the following:

System Updates: This is only used when updating the firmware. *

System Reset: Returns all settings back to the original factory default settings.

System Language: Allows you to change the interfaces language between English and French.

Make changes by pressing the buttons now on your screen.



**Firmware updates are only required for operational changes.
Contact technical support for more information.*



Interface Camera Settings




The interfaces camera settings allows you to do the following:

Reversing Camera Settings: Turns off the reverse camera input.

Reversing Camera Options*: Select factory or aftermarket reverse camera.
Can also be used to set up a cam input for a cargo or trailer camera.

Front Cam. Trigger By Speed:** If it is checked, your front camera will automatically display when ever you are traveling under 10 MPH. For manual view you would hold the back button on the radio controls until the camera is displayed on your screen. Pressing back again will return you to your HOME screen.



**If your vehicle is not equipped with a factory reverse camera one will need to be installed for this feature to work.*


*** Front camera must be installed for this feature to work.*



The interfaces camera settings continued:

Left Cam. Trigger By Turn Signals*: When this box is checked your left blind spot camera will display on your factory screen when the left turn signal is used.

Right Cam. Trigger By Turn Signals*: When this box is checked your right blind spot camera will display on your factory screen when the right turn signal is used.



** Blind Spot cameras must be installed for these features to work*

Camera Control




Pressing the Camera icon will allow you to access the installed cameras on demand.

When viewing the cameras, touch the screen again and the camera selection icons will appear. Touch any of the icons on the screen to view a connected camera. If you do not touch an icon within 10 seconds the icons will disappear. Touching the screen again will bring the controls back.

The selected camera will continue to display until you press the return icon on the screen. Or press the Back or Home button on the radio control panel.

If there is no camera installed on selected input, the screen will remain black.



On screen icons may vary depending on your vehicles settings




With the install of your new MyLink camera interface, you now have an option to add a 5th Wheel Docking, Trailer or Cargo Camera into your system.

In vehicles with OEM reverse cameras,

Use the REAR input on the interface. Go into Camera Settings and select Aftermarket for the reverse camera option. Once you have selected Aftermarket you will now see your trailer/cargo camera. To return to using the factory reverse camera go back into settings and select OEM for Reverse Camera Options.

In vehicles not equipped with the OEM reverse camera.

Connect your trailer/cargo camera to the FRONT input. To access your trailer/cargo trailer camera, hold down the BACK button on the radio controls until the FRONT input appears on the screen.



NOTE: The camera selected as revers will always take priority over all other sources/inputs. If vehicle is put into reverse the camera selected as that sources will take over

On screen icons may vary depending on your vehicles settings

HDMI Input




Your interface now offers you an HDMI input that you can use to view your compatible* smart phone's screen or any other device with an HDMI output on your your factory entertainment systems display. This input DOES NOT offer control of the connected device, only the mirroring of the video and audio are accessible.

FMVSS and local laws do not allow the viewing of video by a driver or in a position the driver may view while the vehicle is in motion. Therefore we recommend that this function is used only for view applications such as navigation from your phone while driving. Driver safety is always a first priority.

NOTE: You're phone or other device may require a special adaptor to view HDMI. Contact your Phone dealer for more info.
1080P, 720P, and 480P are supported


Video: Once your device is connected, touch the video button to start viewing. To exit the video page, touch the screen to reveal the return icon, or press BACK or HOME on the factory radio controls



The USB added to your interface will **ONLY** provide a place to charge your device.
The USB is **NOT** used for an AUX input or for a media player.

The USB will not play media, video, or pictures from any type of USB stick or other USB connected device.

The USB Jack is designed and used to do any firmware updates on the interface





LINKSWELL

TECHNOLOGY TOGETHER

909-375-0633

www.linkswellinc.com

info@linkswellinc.com

Linkswell Inc on Facebook, Twitter, and Youtube